Index to Volume 55 (2004)

Authors and Titles

Ajani, P. See Cummins, S. P. et al. 447 Akhurst, D., Jones, G. B., and

McConchie, D. M.

The application of sediment capping agents on phosphorus speciation and mobility in a sub-tropical dunal lake 715

Angeler, D. G., and Rodrigo, M. A.

Ramp disturbance-ramp response: a simple model for wetland disturbance ecology 33

Arkhipkin, A. I.

Diversity in growth and longevity in shortlived animals: squid of the suborder Oegopsina 341

Babcock, R. C. See Parsons, D. M. et al. 257

See also Williams, J. R., and Babcock, R. C. 457

Bailey, P. C. E. See Marshall, N. A., and Bailey, P. C. E. 509 See also Morris, K. et al. 749

Baird, A. H., and Morse, A. N. C.

Induction of metamorphosis in larvae of the brooding corals *Acropora palifera* and *Stylophora pistillata* 469

Baker, A. M., Hughes, J. M., Dean, J. C., and

Mitochondrial DNA reveals phylogenetic structuring and cryptic diversity in Australian freshwater macroinvertebrate assemblages 629

Balcombe, S. R., and Closs, G. P.

Spatial relationships and temporal
variability in a littoral macrophyte fish
assemblage 609

Barker, S. L. L., Kim, J. P., Craw, D., Frew, R. D., and Hunter, K. A.

Processes affecting the chemical composition of Blue Lake, an alluvial gold-mine pit lake in New Zealand 201

Bartkow, M. E., and Udy, J. W. Quantifying potential nigrogen removal by denitrification in stream sediments at a

regional scale 309 Birch, G. F. See Golding, C. J. et al. 285

Bird, C. See Molony, B. W. et al. 781 Boon, P. I. See Morris, K. et al. 749 Bormans, M., Ford, P. W., Fabbro, L., and

Hancock, G.
Onset and persistence of cyanobacterial

Onset and persistence of cyanobacterial blooms in a large impounded tropical river, Australia 1

Brandis, K. See Kingsford, R. T. et al. 17

Broadbent, A. D., and Jones, G. B. DMS and DMSP in mucus ropes, coral mucus, surface films and sediment pore waters from coral reefs in the Great Barrier Reef 849

Brooke, B. See Radke, L. C. et al. 581 Brunetti, N. See Sakai, M. et al. 403 Bryars, S. R., and Havenhand, J. N.

Temporal and spatial distribution and abundance of blue swimmer crab (Portunus pelagicus) larvae in a temperate gulf 809

Bunganaen, Y. See Lamb, D. W. et al. 533 Bunn, S. E. See Baker, A. M. et al. 629 See also Hadwen, W. L., and Bunn, S. E.

and Rutherford, J. C. et al. 737 Bush, R. T. See Sullivan, L. A., and Bush,

Byrne, M. See Uthicke, S. et al. 837

Caddy, J. F. See Seijo, J. C. et al. 249 Carleton, J. H. See Sampey, A. et al. 473 Carter, C. G. See Ho, J. D. et al. 423

Charles, K., Roussel, J.-M., and Cunjak, R. A. Estimating the contribution of sympatric anadromous and freshwater resident brown trout to juvenile production 185

Clarke, A., Lake, P. S., and O'Dowd, D. J. Ecological impacts on aquatic macroinvertebrates following upland stream invasion by a ponded pasture grass (Glyceria maxima) in southern Australia 709

Closs, G. P. See Balcombe, S. R., and Closs,

Coates, M. See Strychar, K. B. et al. 135 Cook, R. A. See Richardson, A. J. et al. 295 Cox, S. L., and Johnston, D. J.

Developmental changes in foregut functioning of packhorse lobster, Jasus (Sagmariasus) verreauxi (Decapoda: Palinuridae), phyllosoma larvae 145

Cranston, P. S. See McKie, B. G. et al. 759 Craw, D. See Barker, S. L. L. et al. 201 Cresswell, G. R., and Griffin, D. A.

The Leeuwin Current, eddies and sub-Antarctic waters off south-western Australia 267

Crighton, P. See Kingsford, R. T. et al. 17Cummins, S. P., Roberts, D. E., Ajani, P., andUnderwood, A. J.

Comparisons of assemblages of phytoplankton between open water and seagrass habitats in a shallow coastal lagoon 447

Cunjak, R. A. See Charles, K. et al. 185

Dauelsberg, P. See Ramos-Jiliberto, R. et al. 193

Davies, P. M. See Rutherford, J. C. et al. 737

Dean, J. C. See Baker, A. M. et al. 629 Dempster, T., and Kingsford, M. J.

Drifting objects as habitat for pelagic juvenile fish off New South Wales, Australia 675 Donnellan, S. C. See van Camp, L. M. et al. 819

Douglas, G. B. See Orr, P. T. et al. 277 See also Radke, L. C. et al. 581 Dyer, A. R. See van Camp, L. M. et al. 819 Dyer, F. See Maddock, I. et al. 173

Eayrs, S. See Piasente, M. et al. 825 Elena, B. See Sakai, M. et al. 403

Fabbro, L. See Bormans, M. et al. 1 Fairweather, P. G. See van Camp, L. M. et al. 819

Feehan, P. See Pollino, C. A. et al. 769 Ferrell, D. J. See Stewart, J. et al. 489 Fine, M., Steindler, L., and Loya, Y.

Endolithic algae photoacclimate to increased irradiance during coral bleaching 115

Finston, T. L.

Effect of a temporally heterogeneous environment on size and shape of the giant ostracods *Mytilocypris* (Ostracoda: Cyprididae) from Australian salt lakes 499

Finston, T. L., and Johnson, M. S. Geographic patterns of genetic diversity in subterranean amphipods of the Pilbara, Western Australia 619

Fletcher, D. See Harvey, E. et al. 573 Ford, P. W. See Bormans, M. et al. 1 Forsythe, J. W.

Accounting for the effect of temperature on squid growth in nature: from hypothesis to practice 331

Fredericks, D. See Radke, L. C. et al.

Frew, R. D. See Barker, S. L. L. et al. 201 Fromont, J. See Usher, K. M. et al. 123

Gaddes, S. W., and Sumpton, W. D. Distribution of barnacle epizoites of the crab *Portunus pelagicus* in the Moreton Bay region, eastern Australia 241

Gale, E. See Kingsford, R. T. et al. 17 Gaston, T. F., Kostoglidis, A., and Suthers, I. M.

The ¹³C, ¹⁵N and ³⁴S signatures of a rocky reef planktivorous fish indicate different coastal discharges of sewage 689

Golding, C. J., Smernik, R. J., and Birch, G. F.

Characterisation of sedimentary organic matter from three south-eastern Australian estuaries using solid-state ¹³C-NMR techniques 285

Grace, M. R. See Pollino, C. A. et al. 769 Griffin, D. A. See Cresswell, G. R., and Griffin, D. A. 267

Grist, E. P. M., and Jackson, G. D. Energy balance as a determinant of two-phase growth in cephalopods 395

Growns, J. E. See Richardson, A. J. et al. 295

Hadwen, W. L., and Bunn, S. E.
Tourists increase the contribution of
autochthonous carbon to littoral
zone food webs in oligotrophic
dune lakes 701

Haggitt, T. R. See Parsons, D. M. et al.

Hall, N. G. See Smith, K. A. et al. 653 Halliday, I. A. See Staunton-Smith, J. et al. 787

 Hamer, P. A., and Jenkins, G. P.
 High levels of spatial and temporal recruitment variability in the temperate sparid *Pagrus auratus* 663

Hamlett, W. C. See Smith, R. M. et al. 155

Hancock, G. See Bormans, M. et al. 1 Harris, G. P. See Webster, I. T., and Harris, G. P. 67

Harrison, K. A. See Morris, K. et al. 749
Hart, B. T. See Pollino, C. A. et al. 769
Harvey, E., Fletcher, D., Shortis, M. R., and Kendrick, G. A.

A comparison of underwater visual distance estimates made by scuba divers and a stereo-video system: implications for underwater visual census of reef fish abundance 573

Havenhand, J. N. See Bryars, S. R., and Havenhand, J. N. 809

Hirst, A. J.

Broad-scale environmental gradients among estuarine benthic macrofaunal assemblages of south-eastern Australia: implications for monitoring estuaries 79

Ho, J. D., Moltschaniwskyj, N. A., and Carter, C. G.

The effect of variability in growth on somatic condition and reproductive status in the southern calamary Sepioteuthis australis 423

Hodgson, K. E. See Pecl, G. T. et al. 387 Hubble, T. C. T.

Slope stability analysis of potential bank failure as a result of toe erosion on weir-impounded lakes: an example from the Nepean River, New South Wales, Australia 57

Hughes, J. M. See Page, T. J. et al. 165 See also Baker, A. M. et al. 629 Hunter, K. A. See Barker, S. L. L. et al. 201

Ivanovic, M. See Sakai, M. et al. 403

Jackson, G. D.

Cephalopod growth: historical context and future directions 327

Advances in defining the life histories of myopsid squid 357

See also Grist, E. P. M. et al. 395 Jenkins, G. P.

The ecosystem effects of abalone fishing: a review 545

See also Hamer, P. A., and Jenkins, G. P. 663

Johnson, C. R. See Valentine, J. P., and Johnson, C. R. 223

Johnson, M. S. See Finston, T. L., and Johnson, M. S. 619 See also Watts, R. J., and Johnson, M. S.

Johnston, D. J. See Cox, S. L., and Johnston, D. J. 145

Jones, C. M. See Piner, K. R., and Jones, C. M. 553

Jones, G. B. See Akhurst, D. et al. 715 See also Broadbent, A. D., and Jones, G. B. 849

Jones, G. J. See Orr, P. T. et al. 277 Jonson, K. See Maddock, I. et al. 173 Jouffre, D. See Semmens, J. M. et al. 367

Kendrick, G. A. See Vanderklift, M. A., and Kendrick, G. A. 93 See also Harvey, E. et al. 573

Kim, J. P. See Barker, S. L. L. et al. 201 Kingsford, R. T., Brandis, K., Thomas, R. F., Crighton, P., Knowles, E., and Gale, E.

Classifying landform at broad spatial scales: the distribution and conservation of wetlands in New South Wales,
Australia 17

Kingsford, M. J. See Dempster, T., and Kingsford, M. J. 675

Klaer, N. L.

Abundance indices for main commercial fish species caught by trawl from the south-eastern Australian continental shelf from 1918 to 1957 561

Knowles, E. See Kingsford, R. T. et al. 17 Knuckey, I. A. See Piasente, M. et al. 825 Kostoglidis, A. See Gaston, T. F. et al. 689 Kuo, J. See Usher, K. M. et al. 123

Lake, P. S. See Clarke, A. et al. 709 Lamb, D. W., Bunganaen, Y., Louis, J., Woolsey, G. A., Oliver, R. L., and White G

Fibre evanescent field absorption (FEFA): an optical fibre technique for measuring light absorption in turbid water samples 533

Linge, K. L., and Oldham, C. E. Relating arsenic and phosphorus remobilization to sediment formation mechanisms using fractionation and trends in elemental composition 525

Lintermans, M. See Maddock, I. et al. 173 Louis, J. See Lamb, D. W. et al. 533 Loya, Y. See Fine, M. et al. 115

Maddock, I., Thoms, M., Jonson, K., Dyer, F., and Lintermans, M.

Identifying the influence of channel morphology on physical habitat availability for native fish: application to the two-spined blackfish (Gadopsis bispinosus) in the Cotter River, Australia 173

Marsh, N. A. See Rutherford, J. C. et al. 737

Marshall, N. A., and Bailey, P. C. E.
Impact of secondary salinisation on
freshwater ecosystems: effects of
contrasting, experimental, short-term
releases of saline wastewater on
macroinvertebrates in a lowland
stream 509

Mayer, D. G. See Staunton-Smith, J. et al.

McComb, A. J. See Qiu, S., and McComb, A. J. 213

McConchie, D. M. See Akhurst, D. et al. 715

McCormick, M. I. See Sampey, A. et al. 473

McKie, B. G., Cranston, P. S., and Pearson, R. G.

Gondwanan mesotherms and cosmopolitan eurytherms: effects of temperature on the development and survival of Australian Chironomidae (Diptera) from tropical and temperate populations 759

McKinnon, A. D. See Sampey, A. et al. 473 McShane, P. E. See Piasente, M. et al. 825 Meekan, M. G. See Sampey, A. et al. 473 Minton, J. W.

The pattern of growth in the early life cycle of individual *Sepia pharaonis* 415

Molony, B. W., Bird, C., and Nguyen, V. P.
The relative efficacy of stocking fry or
yearling rainbow trout (*Oncorhynchus mykiss*) into a large impoundment
dominated by redfin perch (*Perca fluviatilis*) in south-western
Australia 781

Moltschaniwskyj, N. A.
Understanding the process of growth in cephalopods 379

See also Ho, J. D. et al. 423

Moreau, M.-A., and Vincent, A. C. J.
Social structure and space use in a wild
population of the Australian shortheaded seahorse *Hippocampus*breviceps Peters, 1869 231

Morris, K., Harrison, K. A., Bailey, P. C. E., and Boon, P. I.

Domain shifts in the aquatic vegetation of shallow urban lakes: the relative roles of low light and anoxia in the catastrophic loss of the submerged angiosperm Vallisneria americana 749

Morse, A. N. C. *See* Baird, A. H., and Morse, A. N. C. 469

Nakamura, K. See Sakai, M. et al. 403 Nguyen, V. P. See Molony, B. W. et al. 781

O'Dowd, D. J. See Clarke, A. et al. 709 O'Hara, T. D. See Uthicke, S. et al. 837 Oldham, C. E. See Linge, K. L., and Oldham, C. E. 525

Oliver, R. L. See Lamb, D. W. et al. 533 Orr, P. T., Jones, G. J., and Douglas, G. B. Response of cultured *Microcystis* aeruginosa from the Swan River, Australia, to elevated salt concentration and consequences for bloom and toxin management in estuaries 277

Page, T. J., Sharma, S., and Hughes, J. M.
Deep phylogenetic structure has
conservation implications for
ornate rainbowfish
(Melanotaeniidae: Rhadinocentrus
ornatus) in Queensland, eastern
Australia 165

Parsons, D. M., Shears, N. T., Babcock, R. C., and Haggitt, T. R.

Fine-scale habitat change in a marine reserve, mapped using radioacoustically positioned video transects 257

Pearson, R. G. See McKie, B. G. et al. 759 Pecl. G. T.

The *in situ* relationships between season of hatching, growth and condition in the southern calamary, *Sepioteuthis australis* 429

See also Semmens, J. M. et al. 367

Pecl, G. T., Steer, M. A., and Hodgson, K. E.
The role of hatchling size in generating the intrinsic size-at-age variability of cephalopods: extending the Forsythe hypothesis 387

Pèrez, E. P. See Seijo, J. C. et al. 249Piasente, M., Knuckey, I. A., Eayrs, S., and McShane, P. E.

In situ examination of the behaviour of fish in response to demersal trawl nets in an Australian trawl fishery 825

Piner, K. R., and Jones, C. M.

Age, growth and the potential for growth overfishing of spot (*Leiostomus xanthurus*) from the Chesapeake Bay, eastern USA 553

Pollino, C. A., Feehan, P., Grace, M. R., and Hart, B. T.

Fish communities and habitat changes in the highly modified Goulburn Catchment, Victoria, Australia 769 Potter, I. C. See Smith, K. A. et al. 653

Qiu, S., and McComb, A. J. Goundwater-induced accumulation of iron oxides and phosphorus retention in

Prosser, I. P. See Radke, L. C. et al. 581

severely leached soils 213

Radke, L. C., Prosser, I. P., Robb, M., Brooke, B., Fredericks, D., Douglas, G. B., and Skemstad, J.

The relationship between sediment and water quality, and riverine sediment loads in the wave-dominated estuaries of south-west Western Australia 581

Ramos-Jiliberto, R., Dauelsberg, P., and Zúñiga, L. R.

Differential tolerance to ultraviolet-B light and photoenzymatic repair in cladocerans from a Chilean lake 193 Reich, P.

Patterns of composition and abundance in macroinvertebrate egg masses from temperate Australian streams 39

Reid, M. A. See Tibby, J., and Reid, M. A.

Richardson, A. J., Growns, J. E., and Cook, R. A.

Distribution and life history of caridean shrimps in regulated lowland rivers in southern Australia 295

Rigby, P. R. See Semmens, J. M. et al. 367 Robb, M. See Radke, L. C. et al. 581 Roberts, D. E. See Cummins, S. P. et al. 447 Robins, J. B. See Staunton-Smith, J. et al. 787

Rodrigo, M. A. See Angeler, D. G., and Rodrigo, M. A. 33

Roe, E. L. See Taylor, I. R., and Roe, E. L. 799

Roussel, J.-M. See Charles, K. et al. 185Rutherford, J. C., Marsh, N. A., Davies, P. M.,and Bunn, S. E.

Effects of patchy shade on stream water temperature: how quickly do small streams heat and cool? 737

Sakai, M., Brunetti, N., Ivanovic, M., Elena, B., and Nakamura, K.
Interpretation of statoliths microstructure

in reared hatchling paralarvae of the squid *Illex argentinus* 403

Sammarco, P. W. See Strychar, K. B. et al. 135

Sampey, A., Meekan, M. G., Carleton, J. H.,
 McKinnon, A. D., and McCormick, M. I.
 Temporal patterns in distributions of tropical fish larvae on the North West
 Shelf of Australia 473

Seijo, J. C., Pèrez, E. P., and Caddy, J. F. A simple approach for dealing with dynamics and uncertainty in fisheries with heterogeneous resource and effort distribution 249

Sellin, M. J. See Staunton-Smith, J. et al. 787

Semmens, J. M., Pecl, G. T., Villanueva, R., Jouffre, D., Sobrino, I., Wood, J. B., and Rigby, P. R.

Understanding octopus growth: patterns, variability and physiology 367

Sharma, S. See Page, T. J. et al. 165
Shears, N. T. See Parsons, D. M. et al. 257
Shortis, M. R. See Harvey, E. et al. 573
Skemstad, J. See Radke, L. C. et al. 581
Smernik, R. J. See Golding, C. J. et al. 285

Smith, K. A., Hall, N. G., and Potter, I. C. Relative abundances and size compositions of champagne crabs, *Hypothalassia* acerba, on two coasts and in different water depths and seasons 653

Smith, R. M., Walker, T. I., and Hamlett, W. C.

Microscopic organisation of the oviducal gland of the holocephalan elephant fish, Callorhynchus milii 155

Sobrino, I. See Semmens, J. M. et al. 367 Staunton-Smith, J., Robins, J. B., Mayer, D. G., Sellin, M. J., and Halliday, I. A. Does the quantity and timing of fresh water flowing into a dry tropical estuary affect year-class strength of barramundi

(Lates calcarifer)? 787 Steer, M. A. See Pecl, G. T. et al. 387 Steindler, L. See Fine, M. et al. 115

Stewart, J., Ferrell, D. J., and van der Walt, B. Sizes and ages in commercial landings with estimates of growth, mortality and yield per recruit of yellowtail kingfish (Seriola lalandi) from New South Wales, Australia 489

Strychar, K. B., Coates, M., and Sammarco, P. W.

Loss of Symbiodinium from bleached Australian scleractinian corals (Acropora hyacinthus, Favites complanata and Porites solida) 135

Sullivan, L. A., and Bush, R. T.
Iron precipitate accumulations associated
with waterways in drained coastal
acid sulfate landscapes of eastern
Australia 727

Sumpton, W. D. See Gaddes, S. W., and Sumpton, W. D. 241 Suthers, I. M. See Gaston, T. F. et al. 689

Suthers, I. M. See Gaston, T. F. et al. 689 Sutton, D. C. See Usher, K. M. et al. 123

Taylor, I. R., and Roe, E. L.

Feeding ecology of little terns Sterna albifrons sinensis in south-eastern Australia and the effects of pilchard mass mortality on breeding success and population size 799

Thomas, R. F. See Kingsford, R. T. et al. 17

Thompson, A. R.

Habitat and mutualism affect the distribution and abundance of a shrimp-associated goby 105

Thoms, M. See Maddock, I. et al. 173 Tibby, J., and Reid, M. A.

A model for inferring past conductivity in low salinity waters derived from Murray River (Australia) diatom plankton 597

Toze, S. See Usher, K. M. et al. 123 Triantafillos, L.

Effects of genetic and environmental factors on growth of southern calamary, Sepioteuthis australis, from southern Australia and northern New Zealand 439

Udy, J. W. See Bartkow, M. E., and Udy, J. W. 309

Underwood, A. J. See Cummins, S. P. et al.

Usher, K. M., Sutton, D. C., Toze, S., Kuo, J., and Fromont, J.

Sexual reproduction in *Chondrilla*australiensis (Porifera: Demospongiae)
123

- Uthicke, S., O'Hara, T. D., and Byrne, M.
 Species composition and molecular
 phylogeny of the Indo-Pacific teatfish
 (Echinodermata: Holothuroidea) bêchede-mer fishery 837
- Valentine, J. P., and Johnson, C. R.
 Establishment of the introduced kelp
 Undaria pinnatifida following dieback
 of the native macroalga Phyllospora
 comosa in Tasmania, Australia 223
- van Camp, L. M., Donnellan, S. C., Dyer, A. R., and Fairweather, P. G. Multiple paternity in field- and captive-laid egg strands of *Sepioteuthis australis* (Cephalopoda: Loliginidae) 819
- Vanderklift, M. A., and Kendrick, G. A.
 Variation in abundances of herbivorous
 invertebrates in temperate subtidal
 rocky reef habitats 93

- van der Walt, B. See Stewart, J. et al. 489 Villanueva, R. See Semmens, J. M. et al. 367 Vincent, A. C. J. See Moreau, M.-A., and Vincent, A. C. J. 231
- Walker, T. I. See Smith, R. M. et al. 155 Walsh, C. J.
 - Protection of in-stream biota from urban impacts: minimise catchment imperviousness or improve drainage design? 317
- Watts, R. J., and Johnson, M. S.
 Estuaries, lagoons and enclosed
 embayments: habitats that enhance
 population subdivision of inshore
 fishes 641
- Webster, I. T., and Harris, G. P.
 Anthropegenic impacts on the ecosystems
 of coastal lagoons: modelling
 fundamental biogeochemical

- processes and management implications 67
- White, G. See Lamb, D. W. et al. 533 Williams, J. R., and Babcock, R. C.
 - Comparison of multiple techniques to evaluate reproductive variability in a marine bivalve: application to the scallop *Pecten novaezelandiae* 457
- Wood, J. B. See Semmens, J. M. et al. 367 Woolsey, G. A. See Lamb, D. W. et al. 533
- Zúñiga, L. R. See Ramos-Jiliberto, R. et al. 193

